



Cheek Augmentation

Type of Procedure : **Facial and Head Contouring** (Plastic Surgery Thailand)

[Print version](#)

Plastic Surgery Thailand - Cheek Augmentation

Transsexual Sex reassignment surgery/Sex change surgery

"Vaginoplasty (sex reassignment surgery/sex change surgery) is a dramatic and irrevocable final step in male to female gender transition. This step is usually taken only after the deepest introspection and counselling regarding all the options. For those needing complete gender correction, this surgery is a life saving and life enhancing miracle, and can enable them to live a full and joyous life afterwards."

<http://ai.eecs.umich.edu/people/conway/TS/SRS.html>

-Service Inclusions-

Surgical Fee

- Doctor fee
- Clinical interview/surgery consultation

Post Operative Care

- All medicine supplies
- Postoperative check-up at the Institute on a follow up schedule.
- There is no extra cost if any correction or additional checkups are required.

Travel Arrangements

- Hotel booking and free transportation between airport and hospital.

[back to top](#)

-Facts at a glance-

Surgical Procedure

• Cheek augmentations are generally completed utilizing an implant, but certain bone cuts and bone segment repositionings are useful in selected individuals. Various sizes and thickness of implants are available to fit individual differences and desires. The implants are most often placed with the patient under sedation and utilizing local anesthesia. The approach is usually through the mouth so no skin incisions are necessary. Rarely are implants placed through a lower eyelid incision. The implants are placed through a tunnel, into a pocket under the soft tissues, and immediately overlying the cheek bones.



Duration of Operation

- One hour.

Risks and Complications

- Bleeding usually comes through the surface of resected bone. However, the use of surgical drains and ice pack immediately applied to the affected area will significantly reduce this risk. Infection is an uncommon risk. Prophylactic antibiotics is routinely administered pre and postoperatively. After the intra-oral surgery, you need to clean your mouth with a provided mouth wash solution. Nothing must be taken orally for at least 24 hours.
- A careful preoperative assessment and a complete set of bone reshaping instruments can prevent such problems.
- The facial nerve may be temporarily disturbed. However, full recovery can be expected.
- The permanent damage is very rare when performed by an experienced plastic surgeon.
- For the mandibular angle resection, there is less chance of injury when using the intra-oral approach than the extra-oral one.

After Care

- Special mouth wash should be applied to preserve oral hygiene in case of an intraoral incision.

Recovery

- The recovery takes one to two weeks. Most people are back to work within a week or two.

Result

- A classically-shaped face contoured to maximize prevalent norms of attractiveness and beauty.

Hospital Admission

- Most patients do not need to stay in the hospital overnight.

Anesthetic

- Local Anesthesia

Pre Operative Care

- Inform us about any allergies, any serious medical condition(s), and all medications you are taking (both prescription and non-prescription)
- Avoid aspirin and aspirin-containing medicines for two weeks prior to surgery.

Post Operative Care

- Your plastic surgeon will provide you with instructions about post-operative care. There will be dietary restrictions as well as limitations to your activities. However, you should be aware that your ability to move your mouth and lips may be diminished temporarily.

[back to top](#)

-Preparation-

Passport and Visa

- Plastic surgery thailand - Cheek Augmentation with Dr. Saran Wannachamras bangkok, Thailand.
- Please forward the copy of your passport to us before the arriving date.
- US citizens can call San Francisco information (415) 744-4444 or you can search under "U.S. Government offices" in the white pages to find the phone number of your local passport office.
- For most tourists, a stay of no more than 30 days does not require a VISA. For further information on Thailand's entry/exit requirements, please contact the Thai consulate in your country or your travel agent.

Flight Arrangement

- Our recommended airlines are Thai International, Northwest, Lufthansa, Singapore, and EVA which has wide seats.

Expenses

- If you are HIV positive, then you are a risk to hospital personnel. For this reason you need to pay an extra 30% to the original charge.

Airport Immigration and Customs

- Please present the supporting documents confirming the scheduled operation upon request. Please do not carry any unnecessary drugs or dangerous objects in your luggage.

Appointment

- The operation can be arranged once you have all required papers ready. Just inform us of your earliest convenient date prior to arrival, either by [clicking here](#) to contact us via e-mail.

[back to top](#)

-Frequently Asked Questions

FAQ : Criteria

Who is a candidate for Cheek Augmentation ?

In general, the best candidates for cheek augmentation are people :

- In good physical health.
- Psychologically stable.
- Wanting to add definition to the face, especially the upper face.
- Understanding the healing process.
- Understanding the limitations of the procedure.
- No known allergies to the implant material used.
- Having realistic expectations for the outcome.
- The above is only a partial list of the criteria that your surgeon will consider in determining whether or not this procedure is appropriate for you. Be sure to ask your surgeon if he / she considers you an ideal candidate for cheek augmentation.

FAQ : Surgical Procedure

What is a Cheek Augmentation?

Prominent or high cheek bones are a sign of beauty in most cultures. Cheek Augmentation or malar augmentation can give women the high cheekbones they desire. This is accomplished by the surgical implantation of a pliable synthetic implant that is sized for each woman's face. The procedure is also performed to correct deformities and underdeveloped cheekbones.

What will I need to do before the surgery?

Prior to your surgery you will be seen in the office for a consultation with your physician concerning the extent of the procedure and to discuss the results that can be expected. A careful examination of the cheek structure will be conducted. There will be photographs taken before and after your surgery so that you can compare the improvements of your surgery. Other subjects that will be discussed in the consultation include the type of anesthesia (local or general) to be used and the risks involved. You may also be given some presurgery instructions that could include eliminating the use of aspirin for several weeks prior to the surgery to help avoid excess bleeding. Sometimes antibiotics are prescribed to help prevent infection.

How much pain is there?

The amount of pain depends on the method used, and varies from person to person. Local anesthetic is used to reduce pain during the surgery.

What does the surgery consist of?

The surgery will usually begin with you receiving some medication to help you relax. Once the anesthesia has taken effect the doctor will begin the procedure by making incisions either in the mouth or under the

eyes to allow placement of the implants. Incisions inside the mouth are more common and allow the patient the added advantage of no visible incisions. The entire procedure should take anywhere from one half to a couple of hours depending on the procedures to be performed.

What should I expect following the procedure?

After the procedure is completed you will be able to leave our office as soon as you feel able. You will experience some temporary swelling and bruising around the treated area. This can be minimized by applying cold compresses and keeping the head elevated while reclining. You may also experience tightness or numbness around the treated area which can make chewing difficult. Any pain you experience will be mild to moderate and can be controlled by oral medications. Most people are completely ambulatory immediately following this procedure, but rest is recommended for the first day after surgery. Patients are usually able to return to normal activities within a week, although strenuous exercise should be avoided for several weeks along with any other activities that may cause a rise in your blood pressure. Chewing may be difficult for a few days.

FAQ : Result

What are some of the most common benefits of this surgery?

This surgery can enhance facial contours and brings balance to the facial features. It is also used to correct asymmetries and congenital defects.

What is the long-term outcome like for most people?

Due to swelling, the results of the surgery may not be plainly visible for as long as three or four months. Scars are generally well hidden.

[back to top](#)

Useful Links

[Dr.Preecha Tiewtranon - PREECHA AESTHETIC INSTITUTE \(PAI\)](#)

[Male to Female Sex Change Surgery](#)

[Vaginoplasty](#)

[Sexual Reassignment Surgery](#)

The number is +662 693-9391

[To contact us now, click here!](#)

[Sex Reassignment Surgery Home](#) | [Male to Female](#) | [Sigmoid Colon](#) | [Upper Eyelid Surgery](#)
[Lower Eyelid Surgery](#) | [Full Face Lift](#) | [Mini Face Lift](#) | [Forehead Lift](#) | [Rhinoplasty Augmentation](#)
[Alaplasty](#) | [Cheek Bone Contouring](#) | [Cheek Augmentation](#) | [Chin Augmentation](#) | [Chin Shaving](#)
[Ear Surgery](#) | [Botox or Fat Injection](#) | [Hair Transplant](#) | [Breast Augmentation](#) | [Breast reduction](#)
[Liposuction](#) | [Lipectomy](#) | [Adam's Apple Contouring](#) | [Fat Injection](#) | [Get Started with SRS](#)
[Sex change surgery](#) | [FAQ](#) | [Sexual Reassignment Surgery Photo Gallery](#) | [Glossary](#) | [Meet the doctor](#)